ELSEVIER

Physica C 291 (1997) 341–343

PHYSICA C

Author Index to Volume 291

Abe, H., see Kitô, H., **291** (1997) 332
Abou-Sekkina, M., see Kandyel, E., **291** (1997) 97
Adachi, H., see Hikihara, T., **291** (1997) 34
Adachi, S., X.-J. Wu, T. Tamura, T. Tatsuki, A. Tokiwa-Yamamoto and K. Tanabe, Synthesis and superconducting properties of fluorinated La_2CuO_4 using NH_4F, **291** (1997) 59
Adachi, S., see Tokiwa-Yamamoto, A., **291** (1997) 90
Ali, S., see Zheng, D.N., **291** (1997) 49
Andreouli, C. and A. Tsetsekou, Synthesis of HTSC $Re(Y)Ba_2Cu_3O_x$ powders: the role of ionic radius, **291** (1997) 274
Aprili, M., see Chang, K.-W., **291** (1997) 242
Asano, H., see Kandyel, E., **291** (1997) 97

Baldha, G.J., see Joshi, A.G., **291** (1997) 25
Batov, I.E., see Strukova, G.K., **291** (1997) 207
Beckmann, D., see Hagel, J., **291** (1997) 213
Berthon, J., see Colonescu, L., **291** (1997) 85
Bush, A.A., see Levin, A.A., **291** (1997) 155

Chang, K.-W., B.W. Wessels, D.B. Studebaker, T.J. Marks, J.L. Schindler, C.R. Kannewurf, M. Aprili and L. Greene, Growth and properties of $Sr_2CuO_2(CO_3)$ thin films prepared from metal-organic chemical vapor deposition-derived precursor films, **291** (1997) 242
Chen, X. and Z. Jiao, Nonhomogeneous pressure effects on T_c in $HgBa_2Ca_2Cu_3O_{8+\delta}$, **291** (1997) 249
Chikumoto, N., J. Yoshioka and M. Murakami, Improved superconducting properties of melt-textured Nd123 by additional heat treatment, **291** (1997) 79
Chung, H., see Hua, L., **291** (1997) 149
Collings, E.W., see Sumption, M.D., **291** (1997) 267
Colonescu, L., J. Berthon, R. Suryanarayanan and I. Zelenay, Effect of isovalent and non-isovalent substitutions on superconductivity in $NdBa_{2-x}Pr_xCu_3O_7$, **291** (1997) 85
Corti, M., K. Nehrke, F. Tabak, B.N. Wani and L.L. Miller, ^{19}F NMR as a probe of flux-line motion in fluorinated $YBa_2Cu_4O_8$, **291** (1997) 297

Dabrowski, B., K. Rogacki, C. Zheng and D.G. Hinks, Single-crystal growth and characterization of Zn- and Ni-substituted $YBa_2Cu_4O_8$, **291** (1997) 287
Ding, S.Y., see Xu, X.N., **291** (1997) 315
Ding, S.Y., see Zeng, Z.Y., **291** (1997) 229
Dou, S.X., see Wang, W.G., **291** (1997) 1
Doyle, R.A., see Morozov, N., **291** (1997) 113

Eastell, C., see Zheng, D.N., **291** (1997) 49

Fukunaga, T. and A. Oota, AC transport losses under self fields in Ag-sheathed $(Bi,Pb)_2Sr_2Ca_2Cu_3O_x$ conductors, **291** (1997) 201
Fukunaga, T., see Oota, A., **291** (1997) 188
Fukuoka, A., see Tokiwa-Yamamoto, A., **291** (1997) 90

Gajewski, D.A., see Srikanth, H., **291** (1997) 235
Gasparov, V.A., see Strukova, G.K., **291** (1997) 207
Ge, Y., see Zeng, Z.Y., **291** (1997) 229
Geetha Kumary, T., S. Kalavathi, M.C. Valsakumar, Y. Hariharan and T.S. Radhakrishnan, On unusual temperature dependence of the upper critical field in $YNi_{2-x}Fe_xB_2C$, **291** (1997) 41
Gilchrist, J., Flux diffusion and the porous medium equation, **291** (1997) 132
Goeckner, H.P., see Obaidat, I.M., **291** (1997) 8
Goringe, M., see Zheng, D.N., **291** (1997) 49
Greaves, C., see Palmer, H.M., **291** (1997) 104
Greene, L., see Chang, K.-W., **291** (1997) 242
Guo, S.Q., see Sun, J.J., **291** (1997) 257

Hagel, J., S. Wanka, D. Beckmann, J. Wosnitza, D. Schweitzer, W. Strunz and M. Thumfart, Vortex dynamics of the organic superconductor κ-$(ET)_2Cu[N(CN)_2]Br$, **291** (1997) 213
Hamid, H.A., see Zheng, D.N., **291** (1997) 49
Hampshire, D.P., see Zheng, D.N., **291** (1997) 49
Hariharan, Y., see Geetha Kumary, T., **291** (1997) 41
Higuma, H., S. Miyashita and M. Wakata, High pressure synthesis and magnetic properties for $Hg_{1-x}Re_xBa_2Ca_2Cu_3O_y$, **291** (1997) 302
Hikihara, T., H. Adachi, S. Ohashi, Y. Hirane and Y. Ueda, Levitation drift of flywheel and HTSC bearing system caused by mechanical resonance, **291** (1997) 34
Hinks, D.G., see Dabrowski, B., **291** (1997) 287
Hirane, Y., see Hikihara, T., **291** (1997) 34
Horvat, J., see Wang, W.G., **291** (1997) 1
Hua, L., J. Yoo, J. Ko, H. Kim, H. Chung and G. Qiao, Microstructure and phase evolution of ultrafine MgO doped Bi-2223/Ag tapes, **291** (1997) 149

Ikeda, S., see Kitô, H., **291** (1997) 332

Jiao, Z., see Chen, X., **291** (1997) 249
Jin, X., see Xu, X.N., **291** (1997) 315
Jirsa, M. and L. Půst, A comparative study of irreversible magnetisation and pinning force density in (RE)$Ba_2Cu_3O_{7-\delta}$ and some other high-T_c compounds in view of a novel scaling scheme, **291** (1997) 17
Joshi, A.G., D.G. Kuberkar, G.J. Baldha and R.G. Kulkarni, Effect of Mo and Mo–Ca substitution on the superconductivity of $GdBa_2Cu_3O_{7-\delta}$, **291** (1997) 25

Kalavathi, S., see Geetha Kumary, T., **291** (1997) 41
Kamiyama, T., see Kandyel, E., **291** (1997) 97
Kandyel, E., T. Kamiyama, H. Asano and M. Abou-Sekkina, Synthesis, structure and superconductivity of $(Hg_{1-y}Ti_y)Sr_2(Ca_{1-x}Y_x)Cu_2O_z$, **291** (1997) 97
Kannewurf, C.R., see Chang, K.-W., **291** (1997) 242
Kawano, K., see Oota, A., **291** (1997) 188
Kedrov, V.V., see Strukova, G.K., **291** (1997) 207
Khasanov, S.S., see Strukova, G.K., **291** (1997) 207
Kikuchi, M., see Tokiwa-Yamamoto, A., **291** (1997) 90
Kim, H., see Hua, L., **291** (1997) 149
Kitazawa, H., see Kitô, H., **291** (1997) 332
Kitô, H., S. Ikeda, S. Takekawa, H. Abe and H. Kitazawa, Identification of the new intermetallic compounds $Y_3Ni_4B_4C_3$ and $Y_1Ni_1B_1C_1$; related homologous series $(LnC)_m(B–Ni_2–B)_n$, **291** (1997) 332
Ko, J., see Hua, L., **291** (1997) 149
Konczykowski, M., see Morozov, N., **291** (1997) 113
Kouvel, J.S., see Obaidat, I.M., **291** (1997) 8
Kuberkar, D.G., see Joshi, A.G., **291** (1997) 25
Kulkarni, R.G., see Joshi, A.G., **291** (1997) 25
Kurmaev, E.Z., see Palmer, H.M., **291** (1997) 104

Lapinskas, S., see Tornau, E.E., **291** (1997) 173
Levin, A.A., Yu.F. Shepelev, Yu.I. Smolin and A.A. Bush, Structural modulation and hole conductivity of the high-T_c superconductor $Bi_4Sr_4CaCu_3O_{14+x}$, **291** (1997) 155
Li, H.C., see Ma, L.P., **291** (1997) 143
Li, H.C., see Zeng, Z.Y., **291** (1997) 229
Li, J.W., see Sun, J.J., **291** (1997) 257
Li, L., see Ma, L.P., **291** (1997) 143
Li, L., see Sun, J.J., **291** (1997) 257
Li, L., see Zeng, Z.Y., **291** (1997) 229
Liu, H.K., see Wang, W.G., **291** (1997) 1

Ma, L.P., H.C. Li, R.L. Wang and L. Li, A new method for study the mixed state of high-T_c superconductors by using the relaxation of resistivity, **291** (1997) 143
Ma, L.P., see Zeng, Z.Y., **291** (1997) 229
Maple, M.B., see Srikanth, H., **291** (1997) 235
Marks, T.J., see Chang, K.-W., **291** (1997) 242
Miller, L.L., see Corti, M., **291** (1997) 297
Miyashita, S., see Higuma, H., **291** (1997) 302
Morishita, T., see Rao, J., **291** (1997) 223
Morozov, N., E. Zeldov, M. Konczykowski and R.A. Doyle, Geometrical and distributed surface barriers in $Bi_2Sr_2CaCu_2O_8$, **291** (1997) 113
Motowidlo, L.R., see Sumption, M.D., **291** (1997) 267
Murakami, M., see Chikumoto, N., **291** (1997) 79

Naito, M., see Yamamoto, H., **291** (1997) 67
Nehrke, K., see Corti, M., **291** (1997) 297

Obaidat, I.M., H.P. Goeckner and J.S. Kouvel, Vortex pinning in a rotated $YBa_2Cu_3O_{7-\delta}$ crystal, **291** (1997) 8
Ohashi, S., see Hikihara, T., **291** (1997) 34
Oota, A., K. Kawano and T. Fukunaga, Self fields and current distribution due to DC transport currents on Ag-sheathed $(Bi,Pb)_2Sr_2Ca_2Cu_3O_x$ tapes, **291** (1997) 188
Oota, A., see Fukunaga, T., **291** (1997) 201
Ovchinnikov, I.M., see Strukova, G.K., **291** (1997) 207

Palmer, H.M., C. Greaves, M. Slaski, V.A. Trofimova, Yu.M. Yarmoshenko and E.Z. Kurmaev, Substitution of SO_4^{2-} anions in $La_{1.85}Sr_{0.15}CuO_4$: structure and superconductivity, **291** (1997) 104
Prabhakaran, D. and C. Subramanian, Metal–insulator transition in the Pr substituted Bi-2212 bulk textured crystals, **291** (1997) 73
Půst, L., see Jirsa, M., **291** (1997) 17

Qiao, G., see Hua, L., **291** (1997) 149
Qin, M.J., see Xu, X.N., **291** (1997) 315
Qin, M.J., see Zeng, Z.Y., **291** (1997) 229
Qu, D., see Shi, D., **291** (1997) 181

Radhakrishnan, T.S., see Geetha Kumary, T., **291** (1997) 41
Rao, J. and T. Morishita, Determination of the surface layer of laser ablated YBCO by glancing incident–exit X-ray diffuse scattering, **291** (1997) 223
Ren, C., see Zeng, Z.Y., **291** (1997) 229
Rogacki, K., see Dabrowski, B., **291** (1997) 287
Rosengren, A., see Tornau, E.E., **291** (1997) 173

Sato, H., see Yamamoto, H., **291** (1997) 67
Schindler, J.L., see Chang, K.-W., **291** (1997) 242
Schweitzer, D., see Hagel, J., **291** (1997) 213
Shepelev, Yu.F., see Levin, A.A., **291** (1997) 155
Shi, D., D. Qu and B.A. Tent, Effect of oxygenation on levitation force in seeded melt grown single-domain $YBa_2Cu_3O_x$, **291** (1997) 181
Slaski, M., see Palmer, H.M., **291** (1997) 104
Smolin, Yu.I., see Levin, A.A., **291** (1997) 155
Sridhar, S., see Srikanth, H., **291** (1997) 235
Srikanth, H., S. Sridhar, D.A. Gajewski and M.B. Maple, Microwave properties of $(Pr_xY_{1-x})Ba_2Cu_3O_{7-\delta}$: influence of magnetic scattering, **291** (1997) 235
Strukova, G.K., V.V. Kedrov, V.N. Zverev, S.S. Khasanov, I.M. Ovchinnikov, I.E. Batov and V.A. Gasparov, On the synthesis and the electric and magnetic properties of superconducting barium–niobium–oxide compounds, **291** (1997) 207
Strunz, W., see Hagel, J., **291** (1997) 213
Studebaker, D.B., see Chang, K.-W., **291** (1997) 242
Subramanian, C., see Prabhakaran, D., **291** (1997) 73

Sumption, M.D., L.R. Motowidlo and E.W. Collings, Determination of the true (or potential) transport-J_c of a multifilamentary Bi:HTSC/Ag strand in the presence of bridging and generalized sausaging, **291** (1997) 267
Sun, A.M., see Xu, X.N., **291** (1997) 315
Sun, J.J., B.R. Zhao, L. Li, B. Xu, J.W. Li, S.Q. Guo and B. Yin, Magnetization relaxation and vortex activation energy in $YBa_2Cu_3O_7/PrBa_2Cu_3O_7$ multilayers, **291** (1997) 257
Suryanarayanan, R., see Colonescu, L., **291** (1997) 85
Syono, Y., see Tokiwa-Yamamoto, A., **291** (1997) 90

Tabak, F., see Corti, M., **291** (1997) 297
Takekawa, S., see Kitô, H., **291** (1997) 332
Tamura, T., see Adachi, S., **291** (1997) 59
Tanabe, K., see Adachi, S., **291** (1997) 59
Tanabe, K., see Tokiwa-Yamamoto, A., **291** (1997) 90
Tatsuki, T., see Adachi, S., **291** (1997) 59
Tent, B.A., see Shi, D., **291** (1997) 181
Thumfart, M., see Hagel, J., **291** (1997) 213
Tokiwa-Yamamoto, A., S. Adachi, M. Kikuchi, A. Fukuoka, K. Tanabe and Y. Syono, Shock-loading effects on superconductivity of $HgBa_2CuO_y$, **291** (1997) 90
Tokiwa-Yamamoto, A., see Adachi, S., **291** (1997) 59
Tornau, E.E., S. Lapinskas and A. Rosengren, Order–disorder phase transition in bismuth-based high-temperature superconductors, **291** (1997) 173
Trofimova, V.A., see Palmer, H.M., **291** (1997) 104
Tsetsekou, A., see Andreouli, C., **291** (1997) 274
Tulina, N.A., Point-contact investigations of the resistive properties of the normal metal–high temperature superconductor boundary, **291** (1997) 309

Ueda, Y., see Hikihara, T., **291** (1997) 34

Valsakumar, M.C., see Geetha Kumary, T., **291** (1997) 41

Wakata, M., see Higuma, H., **291** (1997) 302
Wang, R.L., see Ma, L.P., **291** (1997) 143
Wang, W.G., J. Horvat, B. Zeimetz, H.K. Liu and S.X. Dou, Effect of $(Bi,Pb)_2Sr_2CuO_6$ phase on critical current density of $Ag/(Bi,Pb)_2Sr_2Ca_2Cu_3O_{10}$ tapes, **291** (1997) 1
Wani, B.N., see Corti, M., **291** (1997) 297
Wanka, S., see Hagel, J., **291** (1997) 213
Wessels, B.W., see Chang, K.-W., **291** (1997) 242
Wosnitza, J., see Hagel, J., **291** (1997) 213
Wu, X.-J., see Adachi, S., **291** (1997) 59

Xu, B., see Sun, J.J., **291** (1997) 257
Xu, X.N., A.M. Sun, M.J. Qin, S.Y. Ding, X. Jin, X.X. Yao and S.L. Yan, Current and magnetic field distribution of disk-shaped superconducting film, **291** (1997) 315

Yamamoto, H., M. Naito and H. Sato, Surface stability of MBE-grown $Nd_{1.85}Ce_{0.15}CuO_4$ thin films in air investigated by RHEED, XPS, and UPS, **291** (1997) 67
Yan, S.L., see Xu, X.N., **291** (1997) 315
Yao, X.X., see Xu, X.N., **291** (1997) 315
Yao, X.X., see Zeng, Z.Y., **291** (1997) 229
Yarmoshenko, Yu.M., see Palmer, H.M., **291** (1997) 104
Yin, B., see Sun, J.J., **291** (1997) 257
Yoo, J., see Hua, L., **291** (1997) 149
Yoshioka, J., see Chikumoto, N., **291** (1997) 79

Zeimetz, B., see Wang, W.G., **291** (1997) 1
Zeldov, E., see Morozov, N., **291** (1997) 113
Zelenay, I., see Colonescu, L., **291** (1997) 85
Zeng, Z.Y., X.X. Yao, M.J. Qin, Y. Ge, C. Ren, S.Y. Ding, L.P. Ma, H.C. Li and L. Li, Resistance relaxation resulting from current diffusion in superconducting thin films, **291** (1997) 229
Zhao, B.R., see Sun, J.J., **291** (1997) 257
Zheng, C., see Dabrowski, B., **291** (1997) 287
Zheng, D.N., S. Ali, H.A. Hamid, C. Eastell, M. Goringe and D.P. Hampshire, The critical current of the Chevrel phase superconductor lead–molybdenum–sulphur with gadolinium, **291** (1997) 49
Zverev, V.N., see Strukova, G.K., **291** (1997) 207

ELSEVIER

Physica C 291 (1997) 344–345

PHYSICA C

Analytic Subject Index to Volume 291

AC susceptibility 132
AC transport losses
–in $(Bi,Pb)_2Sr_2Ca_2Cu_3O_x$ 201
AC-susceptibility
–of $(Gd_{1-x-y}Ca_yMO_x)Ba_2Cu_3O_z$ 25
–of κ-$(ET)_2Cu[N(CN)_2]Br$ 213
AG-sheated $(Bi,Pb)_2Sr_2Ca_2Cu_3O_x$ 201
Activation energy
–in $Bi_2Sr_2CaCu_2O_{8+x}$ single crystals 309
–in $YBa_2Cu_3O_7/PrBa_2Cu_3O_7$ multilayers 257
Ag-sheated $(Bi,Pb)_2Sr_2Ca_2Cu_3O_x$ tapes 188

Bismuth superconductors 173
Borocarbide 41
Bridging 267

Calcination conditions
–for $ReBa_2Cu_3O_x$ 274
Charge distribution
–in $HgBa_2Ca_2Cu_3O_{8+\delta}$ 249
Chemical vapor deposition
–of $Sr_2CuO_2(CO_3)$ thin films 242
Collective pinning
–in $YBa_2Cu_3O_7/PrBa_2Cu_3O_7$ multilayers 257
Critical current density 17
–of $Ag/(Bi,Pb)_2Sr_2Ca_2Cu_3O_{10}$ tapes 1
–of $Bi_2Sr_2Ca_2Cu_3O_{10}/Ag$ tapes 149
–of Nd-Ba-Cu-O 79
–of $Pb_{1-x}Gd_xMo_6S_8$ 49
Critical currents density 267
Crystal structure
–of $(Hg_{1-y}Ti_y)Sr_2(Ca_{1-x}Y_x)Cu_2O_z$ 97
CuO planes
–in YBCO film 223
CuO_2 planes
–in $HgBa_2Ca_2Cu_3O_{8+\delta}$ 249
Current diffusion 229

DTA analysis 274
Disk shaped films 315

Effect of $(Bi,Pb)_2Sr_2CuO_6$
–on $Ag/(Bi,Pb)_2Sr_2Ca_2Cu_3O_{10}$ tapes 1
Effective pinning energy 143
Electrical resistivity 143
–of $(Gd_{1-x-y}Ca_yMO_x)Ba_2Cu_3O_z$ 25
–of $(Hg_{1-y}Ti_y)Sr_2(Ca_{1-x}Y_x)Cu_2O_z$ 97
–of Ba-Nb-O-N 207
–of $Bi_2Sr_2CaCu_2O_{8+x}$ single crystals 309
–of $Y_3N_4B_4C_3$ 332

Fermi liquid 41
Flux creep model 213
Flux creep 132, 143
–in $YBa_2Cu_3O_7/PrBa_2Cu_3O_7$ multilayers 257
Flux dynamics
–in κ-$(ET)_2Cu[N(CN)_2]Br$ 213
Flux flow 132
Flux line motion
–in $YBa_2Cu_4O_8$:F 297
Flux pinning
–in $Bi_2Sr_2Ca_2Cu_3O_{10}/Ag$ tapes 149
Flywheel 34

Geometry effect 113
Glancing incident X-rays 223
Grain boundaries
–in $Pb_{1-x}Gd_xMo_6S_8$ 49
Gyroscopic motion 34

Heat-treatment
–for Nd-Ba-Cu-O 79
Hg-based cuprate 97
Hole concentration
–in $HgBa_2Ca_2Cu_3O_{8+\delta}$ 249
Hole conductivity
–in $Bi_4Sr_4CaCu_3O_{14+x}$ 155

Ice rule 173
Infinite-layer compound 242
Intermetallic boro-carbides 332
Irreversibility field
–of κ-$(ET)_2Cu[N(CN)_2]Br$ 213
–of $Ag/(Bi,Pb)_2Sr_2Ca_2Cu_3O_{10}$ tapes 1
Irreversibility line
–of $Hg_{1-x}Re_xBa_2Ca_2Cu_3O_y$ 302

Landau levels 41
Laser ablation
–of YBCO film 223
Levitation drift 34
Levitation force
–on $YBa_2Cu_3O_x$ 181
Lower critical field H_{c2}
–of $La_2CuO_{4-\delta}F_y$ 59

MBE-grown $Nd_{1.85}Ce_{0.15}CuO_4$ film 67
Magnetic bearing 34
Magnetic field distribution 315
Magnetic susceptibility
–of Ba-Nb-O-N 207
–of $Bi_2Sr_2CaCu_2O_8$ crystals 113
–of $La_2CuO_{4-\delta}F_y$ 59
Magnetization relaxation
–of $YBa_2Cu_3O_7/PrBa_2Cu_3O_7$ multilayers 257
Magnetization 17, 315
–of κ-$(ET)_2Cu[N(CN)_2]Br$ 213
–of $Hg_{1-x}Re_xBa_2Ca_2Cu_3O_y$ 302
–of $HgBa_2CuO_y$ 90
–of $NdBa_{2-x}Pr_xCu_3O_7$ 85
Magnetoresistance 132
Mechanical resonance 34
Metal insulator transtion
–in $Bi_{2.2}Sr_{1.9}Ca_{1-x}Pr_xCu_2O_8$ 73
Microstructure
–of $Bi_2Sr_2Ca_2Cu_3O_{10}/Ag$ tapes 149
Microwave absorption
–on $(Pr_xY_{1-x})Ba_2Cu_3O_{7-\delta}$ 235
Modulated structure
–of $Bi_4Sr_4CaCu_3O_{14+x}$ 155
Multilayers 257

NMR
–on $YBa_2Cu_4O_8$:F 297
Ni substitution
–in $YBa_2Cu_4O_8$ single crystal 287
non-Fermi liquid 41

Order-disorder phase transition 173
Oxycarbonate superconducting film 242
Oxygen annealing
–of $Sr_2CuO_2(CO_3)$ thin films 242
Oxygen stoichiometry 173
–in $(Gd_{1-x-y}Ca_yMO_x)Ba_2Cu_3O_z$ 25
–of Ba-Nb-O-N 207
Oxygenation
–of $YBa_2Cu_3O_x$ 181
O_z annealing
–of $(Hg_{1-y}Ti_y)Sr_2(Ca_{1-x}Y_x)Cu_2O_z$ 97

Pair breaking
–in $(Pr_xY_{1-x})Ba_2Cu_3O_{7-\delta}$ 235
Parallel conductors 201
Penetration depth
–in $(Pr_xY_{1-x})Ba_2Cu_3O_{7-\delta}$ 235
Pinning force density 17
Pinning force
–in $Pb_{1-x}Gd_xMo_6S_8$ 49
Pinning torque
–in $YBa_2Cu_3O_{7-\delta}$ crystal 8
Point contact resistance
–on $Bi_2Sr_2CaCu_2O_{8+x}$ single crystals 309
Pressure dependence of T_c
–in $HgBa_2Ca_2Cu_3O_{8+\delta}$ 249

RHEED
–on $Nd_{1.85}Ce_{0.15}CuO_4$ thin films 67
–on YBCO film 223
Reaction sequence 274
Relaxation 143
Resistance relaxation 229
Rietveld analysis 332
Rotational flux pinning
–in $YBa_2Cu_3O_{7-\delta}$ crystal 8
Rotational magnetization
–of $YBa_2Cu_3O_{7-\delta}$ crystal 8

Sausaging 267
Scaling of field dependencies 17
Scanning Hall sensor 188
Self field 315
Self fields
–of $(Bi,Pb)_2Sr_2Ca_2Cu_3O_x$ tapes 188
–of $(Bi,Pb)_2Sr_2Ca_2Cu_3O_x$ 201
Shock loading effect
–on $HgBa_2CuO_y$ 90
Sintering
–of $Ag/(Bi,Pb)_2Sr_2Ca_2Cu_3O_{10}$ tapes 1
Solid state reaction 274
Solubility limits 287
Spin lattice relaxation time T_1
–of $YBa_2Cu_4O_8$:F 297
Structural refinement
–for $Y_1N_1B_1C_1$ 332
–for $Y_3N_4B_4C_3$ 332
Structure
–of $(Gd_{1-x-y}Ca_yMO_x)Ba_2Cu_3O_z$ 25
–of $_{La}1.85_{Sr}0.15_{CuO}4$ 104
–of $Bi_{2.2}Sr_{1.9}Ca_{1-x}Pr_xCu_2O_8$ 73
–of $Hg_{1-x}Re_xBa_2Ca_2Cu_3O_y$ 302
–of $HgBa_2CuO_y$ 90
–of $Nd_{1-u}Pr_uBa_2Cu_3O_7$ 85
–of $NdBa_{2-x}Pr_xCu_3O_7$ 85
–of $Y_1N_1B_1C_1$ 332
–of $Y_3N_4B_4C_3$ 332
–of $YNi_2 - x_{Fe}x_B2_C$ 41
Substitution effects
–in $_{La}1.85_{Sr}0.15_{CuO}4$ 104
–in $Nd_{1-u}Pr_uBa_2Cu_3O_7$ 85
–in $NdBa_{2-x}Pr_xCu_3O_7$ 85
–on $(Gd_{1-x-y}Ca_yMO_x)Ba_2Cu_3O_z$ 25
–on $Hg_{1-x}Re_xBa_2Ca_2Cu_3O_y$ 302
Sulphate 104
Superconducting transition
–of Nd-Ba-Cu-O 79
Surface barrier
–in $Bi_2Sr_2CaCu_2O_8$ crystals 113
Surface characterisation
–on YBCO film 223
Surface stability
–of $Nd_{1.85}Ce_{0.15}CuO_4$ thin films 67
Susceptibility
–of $YBa_2Cu_4O_8$ single crystal 287
Synthesis
–of $(Hg_{1-y}Ti_y)Sr_2(Ca_{1-x}Y_x)Cu_2O_z$ 97
–of $Ag/(Bi,Pb)_2Sr_2Ca_2Cu_3O_{10}$ tapes 1
–of Ba-Nb-O-N 207
–of $Bi_{2.2}Sr_{1.9}Ca_{1-x}Pr_xCu_2O_8$ 73
–of $Hg_{1-x}Re_xBa_2Ca_2Cu_3O_y$ 302
–of $La_2CuO_{4-\delta}F_y$ 59
–of Nd-Ba-Cu-O 79
–of $Nd_{1.85}Ce_{0.15}CuO_4$ thin films 67
–of $ReBa_2Cu_3O_x$ 274
–of $Sr_2CuO_2(CO_3)$ thin films 242

TEM
–on $HgBa_2CuO_y$ 90
Thermal fluctuations
–in $YBa_2Cu_4O_8$:F 297
Thermo electric power
–of $NdBa_{2-x}Pr_xCu_3O_7$ 85
Thin films 229
Transport currents
–in $(Bi,Pb)_2Sr_2Ca_2Cu_3O_x$ tapes 188
Transport properties
–of $GdBa_2Cu_3O_7$ thin film 229
–of $Sr_2CuO_2(CO_3)$ thin films 242

UPS
–on $Nd_{1.85}Ce_{0.15}CuO_4$ thin films 67
Upper critical field H_{c2}
–of $La_2CuO_{4-\delta}F_y$ 59
–of $Pb_{1-x}Gd_xMo_6S_8$ 49
–of $YNi_{2-x}Fe_xB_2C$ 41

Vortex dynamics
–in $Bi_2Sr_2CaCu_2O_8$ crystals 113

Weak links
–in $Bi_2Sr_2Ca_2Cu_3O_{10}/Ag$ tapes 149

X-ray diffraction analysis 274
X-ray diffraction
–on $_{La}1.85_{Sr}0.15_{CuO}4$ 104
–on $Bi_4Sr_4CaCu_3O_{14+x}$ 155
XPS
–on $Nd_{1.85}Ce_{0.15}CuO_4$ thin films 67

Zn substitution
–in $YBa_2Cu_4O_8$ single crystal 287

ELSEVIER

Physica C 291 (1997) 346–347

PHYSICA C

Materials Index to Volume 291

$Ag/(Bi,Pb)_2Sr_2Ca_2Cu_3O_{10}$ tapes
–critical current density 1
–effect of $(Bi,Pb)_2Sr_2CuO_6$ 1
–irreversibility field 1
–sintering 1
–synthesis 1

$(Bi,Pb)_2Sr_2Ca_2Cu_3O_x$ tapes
–self fields 188
–transport currents 188
$(Bi,Pb)_2Sr_2Ca_2Cu_3O_x$
–AC transport losses 201
–self fields 201
Ba-Nb-O-N
–electrical resistivity 207
–magnetic susceptibility 207
–oxygen stoichiometry 207
–synthesis 207
$Bi_{2.2}Sr_{1.9}Ca_{1-x}Pr_xCu_2O_8$
–metal insulator transtion 73
–structure 73
–synthesis 73
$Bi_2Sr_2Ca_2Cu_3O_{10}/Ag$ tapes
–critical current density 149
–flux pinning 149
–microstructure 149
–weak links 149
$Bi_2Sr_2CaCu_2O_{8+x}$ single crystals
–activation energy 309
–electrical resistivity 309
–point contact resistance 309
$Bi_2Sr_2CaCu_2O_8$ crystals
–magnetic susceptibility 113
–surface barrier 113
–vortex dynamics 113
$Bi_4Sr_4CaCu_3O_{14+x}$
–hole conductivity 155
–modulated structure 155
–X-ray diffraction 155

$(Gd_{1-x-y}Ca_yMO_x)Ba_2Cu_3O_z$
–AC-susceptibility 25
–electrical resistivity 25
–oxygen stoichiometry 25
–structure 25
–substitution effects 25

$GdBa_2Cu_3O_7$ thin film
–transport properties 229

$(Hg_{1-y}Ti_y)Sr_2(Ca_{1-x}Y_x)Cu_2O_z$
–crystal structure 97
–electrical resistivity 97
–o_z annealing 97
–synthesis 97
$Hg_{1-x}Re_xBa_2Ca_2Cu_3O_y$
–irreversibility line 302
–magnetization 302
–structure 302
–substitution effects 302
–synthesis 302
$HgBa_2Ca_2Cu_3O_{8+\delta}$
–charge distribution 249
–CuO_2 planes 249
–hole concentration 249
–pressure dependence of T_c 249
$HgBa_2CuO_y$
–magnetization 90
–shock loading effect 90
–structure 90
–TEM 90

κ-$(ET)_2Cu[N(CN)_2]Br$
–AC-susceptibility 213
–flux dynamics 213
–irreversibility field 213
–magnetization 213

$La_2CuO_{4-\delta}F_y$
–lower critical field H_{c2} 59
–magnetic susceptibility 59
–synthesis 59
–upper critical field H_{c2} 59
$La_{1.85}Sr_{0.15}CuO_4$
–structure 104
–substitution effects 104
–X-ray diffraction 104

Nd-Ba-Cu-O
–critical current density 79
–heat-treatment 79
–superconducting transition 79
–synthesis 79
$Nd_{1.85}Ce_{0.15}CuO_4$ thin films
–RHEED 67
–surface stability 67
–synthesis 67
–UPS 67
–XPS 67
$Nd_{1-u}Pr_uBa_2Cu_3O_7$
–structure 85
–substitution effects 85
$NdBa_{2-x}Pr_xCu_3O_7$
–magnetization 85
–structure 85
–substitution effects 85
–thermo electric power 85

$(Pr_xY_{1-x})Ba_2Cu_3O_{7-\delta}$
–microwave absorption 235
–pair breaking 235
–penetration depth 235
$Pb_{1-x}Gd_xMo_6S_8$
–critical current density 49
–grain boundaries 49
–pinning force 49
–upper critical field H_{c2} 49

$ReBa_2Cu_3O_x$
–calcination conditions 274
–synthesis 274

$Sr_2CuO_2(CO_3)$ thin films
–chemical vapor deposition 242
–oxygen annealing 242
–synthesis 242
–transport properties 242

$Y_1N_1B_1C_1$
–structure 332
–structural refinement 332
$Y_3N_4B_4C_3$
–electrical resistivity 332
–structure 332
–structural refinement 332

YBCO film
–CuO planes 223
–laser ablation 223
–RHEED 223
–surface characterisation 223
$YBa_2Cu_3O_x$
–levitation force 181
–oxygenation 181
$YBa_2Cu_3O_7/PrBa_2Cu_3O_7$ multilayers
–activation energy 257
–collective pinning 257
–flux creep 257
–magnetization relaxation 257
$YBa_2Cu_3O_{7-\delta}$ crystal
–pinning torque 8
–rotational flux pinning 8
–rotational magnetization 8
$YBa_2Cu_4O_8$ single crystal
–Ni substitution 287
–susceptibility 287
–Zn substitution 287
$YBa_2Cu_4O_8$:F
–flux line motion 297
–NMR 297
–spin lattice relaxation time T_1 297
–thermal fluctuations 297
$YNi_2 - x_{Fe} x_B 2_C$
–structure 41
$YNi_{2-x}Fe_xB_2C$
–upper critical field H_{c2} 41

ELSEVIER

Physica C 291 (1997) 348–349

PHYSICA C

Cumulative Author Index to Volume 291

Abe, H., **291**, 332
Abou-Sekkina, M., **291**, 97
Adachi, H., **291**, 34
Adachi, S., **291**, 59, 90
Ali, S., **291**, 49
Andreouli, C., **291**, 274
Aprili, M., **291**, 242
Asano, H., **291**, 97

Baldha, G.J., **291**, 25
Batov, I.E., **291**, 207
Beckmann, D., **291**, 213
Berthon, J., **291**, 85
Bush, A.A., **291**, 155

Chang, K.-W., **291**, 242
Chen, X., **291**, 249
Chikumoto, N., **291**, 79
Chung, H., **291**, 149
Collings, E.W., **291**, 267
Colonescu, L., **291**, 85
Corti, M., **291**, 297

Dabrowski, B., **291**, 287
Ding, S.Y., **291**, 229, 315
Dou, S.X., **291**, 1
Doyle, R.A., **291**, 113

Eastell, C., **291**, 49

Fukunaga, T., **291**, 188, 201
Fukuoka, A., **291**, 90

Gajewski, D.A., **291**, 235
Gasparov, V.A., **291**, 207
Ge, Y., **291**, 229
Geetha Kumary, T., **291**, 41
Gilchrist, J., **291**, 132
Goeckner, H.P., **291**, 8
Goringe, M., **291**, 49
Greaves, C., **291**, 104
Greene, L., **291**, 242
Guo, S.Q., **291**, 257

Hagel, J., **291**, 213
Hamid, H.A., **291**, 49
Hampshire, D.P., **291**, 49
Hariharan, Y., **291**, 41
Higuma, H., **291**, 302
Hikihara, T., **291**, 34
Hinks, D.G., **291**, 287
Hirane, Y., **291**, 34
Horvat, J., **291**, 1
Hua, L., **291**, 149

Ikeda, S., **291**, 332

Jiao, Z., **291**, 249
Jin, X., **291**, 315
Jirsa, M., **291**, 17
Joshi, A.G., **291**, 25

Kalavathi, S., **291**, 41
Kamiyama, T., **291**, 97
Kandyel, E., **291**, 97
Kannewurf, C.R., **291**, 242
Kawano, K., **291**, 188
Kedrov, V.V., **291**, 207
Khasanov, S.S., **291**, 207
Kikuchi, M., **291**, 90
Kim, H., **291**, 149
Kitazawa, H., **291**, 332
Kitô, H., **291**, 332
Ko, J., **291**, 149
Konczykowski, M., **291**, 113
Kouvel, J.S., **291**, 8
Kuberkar, D.G., **291**, 25
Kulkarni, R.G., **291**, 25
Kurmaev, E.Z., **291**, 104

Lapinskas, S., **291**, 173
Levin, A.A., **291**, 155
Li, H.C., **291**, 143, 229
Li, J.W., **291**, 257
Li, L., **291**, 143, 229, 257
Liu, H.K., **291**, 1

Ma, L.P., **291**, 143, 229
Maple, M.B., **291**, 235
Marks, T.J., **291**, 242
Miller, L.L., **291**, 297
Miyashita, S., **291**, 302
Morishita, T., **291**, 223
Morozov, N., **291**, 113
Motowidlo, L.R., **291**, 267
Murakami, M., **291**, 79

Naito, M., **291**, 67
Nehrke, K., **291**, 297

Obaidat, I.M., **291**, 8
Ohashi, S., **291**, 34
Oota, A., **291**, 188, 201
Ovchinnikov, I.M., **291**, 207

Palmer, H.M., **291**, 104
Prabhakaran, D., **291**, 73
Půst, L., **291**, 17

Qiao, G., **291**, 149
Qin, M.J., **291**, 229, 315
Qu, D., **291**, 181

Radhakrishnan, T.S., **291**, 41
Rao, J., **291**, 223
Ren, C., **291**, 229
Rogacki, K., **291**, 287
Rosengren, A., **291**, 173

Sato, H., **291**, 67
Schindler, J.L., **291**, 242
Schweitzer, D., **291**, 213
Shepelev, Yu.F., **291**, 155
Shi, D., **291**, 181
Slaski, M., **291**, 104
Smolin, Yu.I., **291**, 155
Sridhar, S., **291**, 235
Srikanth, H., **291**, 235
Strukova, G.K., **291**, 207
Strunz, W., **291**, 213
Studebaker, D.B., **291**, 242
Subramanian, C., **291**, 73
Sumption, M.D., **291**, 267
Sun, A.M., **291**, 315
Sun, J.J., **291**, 257

Suryanarayanan, R., **291**, 85
Syono, Y., **291**, 90

Tabak, F., **291**, 297
Takekawa, S., **291**, 332
Tamura, T., **291**, 59
Tanabe, K., **291**, 59, 90
Tatsuki, T., **291**, 59
Tent, B.A., **291**, 181
Thumfart, M., **291**, 213
Tokiwa-Yamamoto, A., **291**, 59, 90
Tornau, E.E., **291**, 173
Trofimova, V.A., **291**, 104
Tsetsekou, A., **291**, 274
Tulina, N.A., **291**, 309

Ueda, Y., **291**, 34

Valsakumar, M.C., **291**, 41

Wakata, M., **291**, 302
Wang, R.L., **291**, 143
Wang, W.G., **291**, 1
Wani, B.N., **291**, 297
Wanka, S., **291**, 213
Wessels, B.W., **291**, 242
Wosnitza, J., **291**, 213
Wu, X.-J., **291**, 59

Xu, B., **291**, 257
Xu, X.N., **291**, 315

Yamamoto, H., **291**, 67
Yan, S.L., **291**, 315
Yao, X.X., **291**, 229, 315
Yarmoshenko, Yu.M., **291**, 104
Yin, B., **291**, 257
Yoo, J., **291**, 149
Yoshioka, J., **291**, 79

Zeimetz, B., **291**, 1
Zeldov, E., **291**, 113
Zelenay, I., **291**, 85
Zeng, Z.Y., **291**, 229
Zhao, B.R., **291**, 257
Zheng, C., **291**, 287
Zheng, D.N., **291**, 49
Zverev, V.N., **291**, 207